

K

Meanders 447

Mr. Andrews 4644

Mr. Andrews 4644

☞ The figures on the lines refer to the page.

☞ The figures on the lines refer to the page.

T. N. 9 N. R. N. 117W Quad (Mn. Ind.)

	Beck 10 in diam beams S 72 E. 17 lks dist; to Sugar. 9 " " " N 63 W. 6 " "
West	On the true line On the South Boundary of sec. 35. T. 9 N. R. 117W.
40.00	Set the temp. post on the true line from which a Beck 18 in diam beams S 35 E. 4 lks dist to Walnut 9 " " " N 22 W. 55 " "
80.00	Set the temp. post on the true line for the cor of sec. 34 & 35 from which Hackberry 11 in diam beams N 35 W. 21 lks dist; to Do. 12 " " " S 6 E. 18 " "
West	On the true line On the South Bdy of sec. 34 T. 9 N. R. 117W.
29.30	Set the temp. post on the true line from which Beck 13 in diam beams S 58 W. 16 lks dist; to Do. 24 " " " N 85 E. 20 " "
	Set the above named post on the Left Bank of the Mabash River. Set a post on the Right Bank of the Mabash River for the cor of sec. 34 from which Sycamore. 30 in diam beams East 15 lks dist; to Maple. 24 " " " S 77 W. 11 " "
North	East Boundary r. E. 40'
40.00	On the East Boundary of sec. 36. T. 9 N. R. 117W Set a post from which Beck 11 in diam beams North 14 lks dist; to Do. 9 " " " S 23 W. 15 " "
80.00	Set a post for the cor of sec. 25 & 36 from which Sugar. 10 in diam beams S 20 E. 37 lks dist; to Do. 18 " " " N 76 W. 29 " "

T. N^o 9 North of R. N^o 1171 D^o Mrs. Sudd.

Land level Timber Beech, Sugar, Ash, Oak, &c.
Good land for farming

North On the East Boundary of sec. 25 T. 9 N. R. 11 W.
40.00 Set a 7th support from which
W Oak 12 in dist. from S 70 W 35 W dist; 70
W Oak 30 " " " N 11 E. 35 " "
80.00 Set a post for the cor of sec. 24 & 25 from which
W Oak 14 in dist. from S 20 E. 15 W dist; 70
Poplar 30 " " " S 62 W. 48 " "
Land 1st 1/2 mile same; last 1/2 more broken timber
same.

North On the East Boundary of sec. 24 T. 9 N. R. 11 W.
40.00 Set a 7th support from which
Beech 11 in dist. from S 42 W 24 W dist; 70
W Oak 9 " " " N 74 E. 18 " "
45.00 Top Brook 15 Ws wide, corner W.
80.00 Set a post for the cor of sec. 13 & 24 from which
Elm. — in dist. from S 4 W. 11 W dist; 70
Do. 12 " " " N 2 E. 21 " "
Land 1st 1/2 mile good for farming; rich soil;
last 1/2 low now bottom.

North On the East Boundary of sec. 13 T. 9 N. R. 11 W.
7.50 Top Brook 30 Ws wide, corner W.
40.00 Set a 7th support from which
Hackberry 18 in dist. from S 68 W 30 W dist; 70
Box Elm. 10 " " " N 88 E. 58 " "
47.11 Top Bayou or Creek 200 Ws wide, corner S. W.
80.00 Set a post for the cor of sec. 12 & 13 from which
Hick 12 in dist. from S 23 E. 44 W dist; 70
Hackberry 10 " " " N 65 W 20 " "

T. 9 N. R. 11 W. 2^d Mer. Sec.

	<p>Land river bottom; rich and overflows. Limb Elm, Ash, Ash, Hackberry & Walnut. Hackberry, Locust, &c.</p>
<p>North 40.00</p>	<p>On the East Boundary of sec. 12. T. 9 N. R. 11 W. Set a 1/4 suppost from which age. Elm. 17 in dia: bears N 51 E. 19 lks dist; &c. Do. 18 " " " " 22 1/2 " " "</p>
<p>80.00</p>	<p>Set a post for the cor of sec. 18 & 12 from which age. Elm. 9 in dia: bears S 16 W 33 lks dist; &c. Locust 18 " " " " N 8 W. 16 " " "</p>
	<p>Land & water bottom which seldomly overflows.</p>
<p>North 40.00</p>	<p>On the East Boundary of sec. 1. T. 9 N. R. 11 W. Set a 1/4 suppost from which age. Elm. 14 in dia: bears S 31 E. 25 lks dist; &c. Do. 10 " " " " N 81 W. 15 " " "</p>
<p>44.58</p>	<p>Is a pond or lake 5 lks wide; most part lies to the left.</p>
<p>70.00</p>	<p>Is the same pond; 6 lks wide;</p>
<p>80.00</p>	<p>Set a temp. post for the cor of T. 9. & 10. S. 1 R. 11 W. Land river bottom rich and overflows.</p>
<p>East</p>	<p>North Boundary r. 6° 45' E. 110 On a Roman line. On the South Boundary of sec. 35. T. 10 N. R. 11 W.</p>
<p>10.00</p>	<p>Crossed the prairie.</p>
<p>23.50</p>	<p>Set a temp. post on the Right Bank of the Mabash River for the cor of fract. Sec. 35.</p>
<p>36.41</p>	<p>Set a temp. post on the Left Bank of the Mabash River for the cor of fract. Sec. 35.</p>
<p>40.00</p>	<p>Set a temp. 1/4 suppost</p>
<p>80.00</p>	<p>Set a temp. post for the cor of Sec. 35 & 36.</p>

T. N. 9 N. R. N. 11 W. 2nd Mer. Ind.

	Land set rate bottom <u>slightly</u> overflows. Timber Walnut, Hackberry, Ash, Hickory & Box Elder, Elm &c. No Spine	
East	On a Random line On the South Boundary of sec. 36. T. 10 N. R. 11 W. April. 14. 1811.	
22.90	To a Pond or Lake.	
31.50	Crossed it.	
40.00	Set a 1/2 suppost (temp.)	
76.94	Intersect the Range line 106 M. North of the post on of Sec. 1. 6. 31 & 36. temp. 17 on. T. 9 N. 10. N. R. 10 W. 11 W. Land now bottom rich and overflows. Timber Walnut, Elm, Ash & Hickory &c.	
West	On the same line On the South Boundary of sec. 36. T. 10 N. R. 11 W. N. 64 1/2' April 19. 1811.	C. 123
40.00	Set the temp. 1/2 suppost on the same line from which, W. Walnut 5 in diam. bears. S 39 W 33 M dist; to Red Bud 8 " " " N 37 E 18 " "	
80.00	Set the temp. 1/2 post on the same line for the cor. of sec. 35 & 36 from which, Hickory 14 in diam. bears. N 60 E 16 M dist under a Box Elder. 11 " " " S 12 W 43 " "	
West	On the same line On the South Boundary of sec. 35. T. 10 N. R. 11 W.	
39.00	Set a post on the Left Bank of the Wabash River for the cor. of frac. Sec. 35. from which, Hackberry. 13 in diam. bears. N 36 E. 27 M dist; to Elm. 9 " " " S 22 E. 48 " "	
	Set a post on the Right Bank of the Wabash River for the cor. of frac. Sec. 35 from which, Sycamore 27 in diam. bears. N 6 W 13 M dist; to Sec. 15 " " " N 28 W 22 " "	

T. N. 9 N. R. N. 11 W. 2nd Mer. Ind.

Surveyed by
William Harris. D.S.

Sub divisions.

North	Return Dec. 35 '36. T. 9 N. R. 11 W.
40.00	Set a $\frac{1}{4}$ sup. post from which Beet 18 in diam. bears. N 49 E. 11 lks dist; for Loc. 10 " " " S 32 W. 12 " "
53.00	To a Brook 12 miles wide, Conra W.
62.00	" " Spring Conra W.
80.00	Set a post for the cor. of Dec. 25, 26. 35 '36 from which a Beet 40 in diam. bears. N 36 E. 16 lks dist; for Ash 10 " " " S 3 E. 28 " " Scrub land and rich Timber Hickory, Ash, Elm, &c
East	On a Random line between Dec. 25 '36. T. 9 N. R. 11 W.
4.00	To a Spring Conra N.
25.00	To a Brook 10 lks wide, Conra N. W.
40.00	Set a temp. $\frac{1}{4}$ sup. post
79.91	Intersect the East Boundary at the post cor. of Dec. 25 '36. Under the dam.
West	On the true line between Dec. 25 '36. T. 9 N. R. 11 W.
39.95 $\frac{1}{2}$	Set the temp. $\frac{1}{4}$ sup. post at the av. dist on the true line from which Sugar. 30 in diam. bears. S 44 E. 26 lks dist under a Blue Ash 10 " " " S 6 E. 21 " "
79.91	To the post cor. of Dec. 25, 26. 35 '36.
North	Return Dec. 25 '36. T. 9 N. R. 11 W.
8.00	To a Spring Brook 4 lks wide, Conra W.
17.00	" " " " " " " " " " " "
22.00	To a Road leading N. E. to S. W.
40.00	Set a $\frac{1}{4}$ sup. post from which

T. N. 9 N. R. N. 11 W. 2nd Mer. Sud.

56.24	<p>Elm. 8 in diam. beam. S 58 W 23 lks dist; 4th Loc. 10 " " " East. 20 " "</p> <p>Set a post on the Left Bank of the Wabash River for the cor of frac. Sec. 25 & 26. From which a Hackberry 12 in diam. beam. S 57 W 23 lks dist; 4th Loc. 23 " " " N 79 E. 45 " "</p>
67.50	<p>Set a post on the Right Bank of the Wabash River for the cor of frac. Sec. 26 & 25. From which a Willow 10 in diam. beam. S 34 W 3 lks dist; 4th Cottonwood 14 " " " N 67 E. 17 " "</p>
West	Return Sec. 24 & 25 T. 9 N. R. 11 W.
11.00	To a Road leading N 13
16.00	" " Spring brook. Course N. W.
35.00	" " " " " " " "
40.00	<p>Set a 7th support from which a Castalpa 3 in diam. beam. S 31 E. 8 lks dist; 4th Loc. 4 " " " N 32 E. 23 " "</p>
43.79	<p>N. W. Oak 18 in diam. beam. on the Left Bank of the Wabash River. for the cor of frac. Sec. 24 & 25.</p>
East	Return Sec. 24 & 25.
21.00	To the Right Bank of the River.
East	Return Sec. 13 & 24. T. 9 N. R. 11 W.
12.00	To timber land.
40.00	<p>Set a 7th support from which a Elm. 20 in diam. beam. N 9 W 15 lks dist; 4th Buckeye. 6 " " " S 53 W 27 " "</p>
61.00	<p>Set a post on the Right Bank of the Wabash River for the cor of frac. Sec. 13 & 24 from which a Ash 10 in diam. beam. S 47 E. 18 lks dist; 4th Loc. 10 " " " " N 4 E. 40 " "</p>
West	Return Sec. 13 & 24. T. 9 N. R. 11 W.

6.14

Set a post on the Left Bank of the Wabash River for the
 cor of fract. Sec. 13 & 24 from which
 Sycam. 18 in diam. bears. N 22° W. 3 lks dist; Vase
 Elm. 10 " " " S 24° W. 6 " "
 Sound the same.

East

Return Sec. 12 & 13. T. 9 N. R. 11 W.

60.61

Set a post on the Right Bank of the Wabash River
 for the cor of fract. Sec. 12 & 13. from which
 Sycam. 8 in diam. bears. S 31° W. 9 lks dist; Vase
 Cottonwood 9 " " " N 31° W. 36 " "

West

Return Sec. 12 & 13. T. 9 N. R. 11 W.

7.59

A Wick 12 in diam. stands for the cor of fract.
 Sec. 12 & 13. on the Left Bank of the Wabash R.

East

Return Sec. 1 & 12. T. 9 N. R. 11 W.

52.77

Set a post on the Right Bank of the Wabash River
 for the cor of fract. Sec. 1 & 12 from which
 Hick 4 in diam. bears. South 7 lks dist.

West

Return Sec. 1 & 12

14.90

A Sycam. 26 in diam. stands for the cor of fract.
 Sec. 1 & 12 on the Left Bank of the Wabash River

North

Return Sec. 1 & 2. T. 9 N. R. 11 W.

27.20

Set a post on the Right Bank of the Wabash River
 for the cor. of fract. Sec. 1 & 2 from which
 Sycam. 30 in diam. bears. S 64° E. 5 lks dist; Vase
 Ash. 4 " " " S 45° W. 11 " "

37.30

Set a post on the Left Bank of the Wabash River for the
 cor of fract. Sec. 1 & 2 from which
 Red Elm. 12 in diam. bears. N 69° W. 25 lks dist; Vase
 Loc. 4 " " " N 18° W. 11 " "

40.00

Set a 7th post.

T. N. 9 N. R. N. 11th 2nd (Mr. Ind.)

81.31	<p>Enter at the N. Corner 310 W. East of the post on of Sec. 35 & 36 T. 10 N. R. 11th and set a post for the cor. of Sec. 1 & 2 from which Hickory 8 in diam. beam. 344 N. 17 W. dist. 1/2 Maple 8 " " " 122 E. 9 " " Run the same.</p>
North 32.00 40.00 77.73 80.00	<p>Return Sec. 34 & 35 T. 9 N. R. 11th. To a Brook 100 W. side, Corner S. 11th. Set a post for the cor. from which Hackberry 8 in diam. beam. 138 N. 25 W. dist. 1/2 Elm 18 " " " 342 N. 36 " " Set a post on the Left Bank of the Matash River for the cor. of tract. Sec. 34 & 35 from which Elm 6 in diam. beam. 188 E. 5 W. dist. 1/2 Ironwood 4 " " " 307 N. 12 " " Corner of sec. 26 & 27 34 & 35. Land lent; Timber ash Oak & Hemlock.</p>
West 9.00 40.00 55.00	<p>Return Sec. 26 & 35 T. 9 N. R. 11th. To a Road leading N. & S. Set a post for the cor. from which Walnut 24 in diam. beam. 171 N. 21 W. dist. 1/2 Ironwood 6 " " " 340 E. 10 " " Set a post on the Left Bank of the Matash River for the cor. of tract. Sec. 26 & 35 from which Sugar. — in diam. beam. 361 N. 10 W. dist. 1/2 Do. 12 " " " 177 N. 14 " "</p>
North 8.00	<p>Return Sec. 26 & 27 T. 9 N. R. 11th. Set a post on the Right Bank of the Matash River for the cor. of tract. Sec. 26 & 27 from which Willow 14 in diam. beam. 385 N. 12 W. dist. 1/2</p>

Maple 8 in diam. bears 260 E. 4 lbs. dist.

East

43. 31.

Between Sec. 27 & 34 T. 9 N. R. 1177.
At Height 10 in diam. stems on the Right Bank of
the Nabash River for the cor. of Sec. 27 & 34.

Mean av. of the Left Bank of the Nabash River
Commencing in the South Boundary of Sec. 34 T. 9 N. R. 1177
thence up stream in Sec. 34.

N 42 E. 13.50 To a Brook 50 lbs. diam.

N 22 W. 7.00

N 34 W. 28.50

N 3 W. 20.00

N 37 E. 25.00

N 37 E. 7.00

East. 5.00

S 38 E. 16.00.

In Sec. 34.
To the corner of Sec. 34 & 35 T. 9 N. R. 1177.

S 73 E. 7.50

East 5.00

N 65 E. 13.50

In Sec. 35.
To the cor. of Sec. 26 & 35. T. 9 N. R. 1177.

N 62 E. 24.00

N 15 E. 31.00

N 39 E. 8.50

N 68 E. 23.00

In Sec. 26.

To the cor. of Sec. 25 & 26. T. 9 N. R. 1177.

N 61 E. 30.00

N 44 E. 12.50

In Sec. 24.

To the cor. of Sec. 24 & 25. T. 9 N. R. 1177.

N 17 E. 7.70

N 4 W. 26.00

N 51 E. 32.00

In Sec. 24.

To the in of Sec.

465

T9 N R11 W. 2nd Mer. Indiana

course	distance	
N20 E	24.00	to line between Sec. 13 & 24
N20 E	6.00	in Sec. 13
N2 E	36.50	
N7 N	38.30	to line between 12 & 13
N27 E	11.30	in Sec. 12
N9 N	71.00	to line between Sec. 1 & 12
N20 E	29.00	in Sec. 1
N4 N	32.00	
N46 N	12.50	
N79 N	19.30	
N43 N	40.00	
N67 N	15.00	to line between Sec. 1 & 2
N78 N	26.50	in Sec. 2
N49 N	16.00	
N10 E	23.00	
N23 N	18.00	to N. boundary of Sec. 2, T9 N. R11 W.
Meander of the Right bank of Wabash River, Commencing in the N. boundary of Sec. 2, Thence Down Stream.		
N20 E	17.60	in Sec. 2
N1 E	6.00	
N13 N	16.00	
N17 E	6.50	
N46 E	17.10	
N64 E	7.50	
N84 E	15.10	
N68 E	12.00	to line between Sec. 1 & 2
N68 E	24.00	in Sec. 1
N49 E	9.00	
N46 E	14.50	

T. G. N. R. M. N. 2. rd Mer Indiana

comes distances

N 27 E 7.70

N 77 E 8.20

N 61 E 11.00

S 2 E 25.60

S 17 W 30.50 to line between Sec. 11 & 12

S 9 E 68.00 in Sec 12

S 17 W 13.80 to line between Sec. 12 & 13

S 5 E 46.00 in Sec. 13

S 3 W 28.50

S 19 W 6.00 to line between Sec. 13 & 24

S 19 W 17.50 in Sec. 24

S 51 W 39.50

S 14 W 8.70

S 9 E 22.50

S 37 W 11.00 to line between Sec. 24 & 25

S 59 W 24.20 to line between Sec. 25 & 26

S 68 W 31.40 in Sec. 26

S 37 W 12.20

S 77 W 28.00

S 63 W 29.50

S 75 W 11.00 to line between Sec. 26 & 27

N 55 W 16.00 in Sec. 27

S 82 W 19.20 a creek 90 lbs. wide

S 35 W 18.00 to line between Sec. 27 & 34

S 35 W 18.50 in Sec. 34

S 7 W 10.00

S 5 E 20.00

S 53 E 25.00

S 15 W 8.20

T9N R11W, 2^d Mer. Indiana

Corners distances

S59W 12.80 to S. boundary of Sec 34, T9N. R11W

Surveyed by

Arthur Annis

Dep. Surveyor

I certify that the foregoing transcript of field notes
 of township N. 9 North, Range N. 11 West 2^d Mer.
 Indiana, has been compared with the original
 notes in this Office, and found to be correct.
 Surveyor General's Office
 Cincinnati, Sept. 17. 1842

William Johnston
 Sur. Genl.

Comp^d